



PEX FITTINGS
AND VALVES
PRICE LIST



**Downstream
Thinking.**
It's all about Performance[®]

PRICE LIST PFV-0111
EFFECTIVE DATE: JANUARY 31, 2011
SUPERSEDES SEPTEMBER 2, 2008 PRICE LIST


PEX FITTINGS AND VALVES



LEGEND PEX FITTINGS COMPLY WITH ASTM F1807, ASTM F2159 AND CSA B137 STANDARDS AND ARE ANSI / NSF 61 CERTIFIED.


EFFECTIVE DATE:
JANUARY 31, 2011
1-800-752-2082

PLASTIC PEX FITTINGS

Plastic PEX Elbow		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
NSF61-4 CSA B137.5 ASTM 2159		NEW ▶ 461-003	1/2"	PLASTIC PEX ELBOW	.74	250	50
		▶ 461-004	3/4"	PLASTIC PEX ELBOW	1.36	250	50
		▶ 461-005	1"	PLASTIC PEX ELBOW	2.83	100	25




PLASTIC PEX ELBOW

Plastic PEX Tee		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
NSF61-4 CSA B137.5 ASTM 2159		NEW ▶ 461-153	1/2"	PLASTIC PEX TEE	1.03	500	50
		▶ 461-154	3/4"	PLASTIC PEX TEE	2.04	250	50
		▶ 461-155	1"	PLASTIC PEX TEE	4.22	100	25




PLASTIC PEX TEE

Plastic PEX Reducing Tee		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
NSF61-4 CSA B137.5 ASTM 2159		NEW ▶ 461-208	1/2" x 1/2" x 3/4"	PLASTIC PEX RED TEE	1.42	250	25
		▶ 461-210	3/4" x 1/2" x 1/2"	PLASTIC PEX RED TEE	1.42	250	50
		▶ 461-211	3/4" x 1/2" x 3/4"	PLASTIC PEX RED TEE	1.74	250	25
		▶ 461-212	3/4" x 3/4" x 1/2"	PLASTIC PEX RED TEE	1.74	250	25
		▶ 461-213	3/4" x 3/4" x 1"	PLASTIC PEX RED TEE	3.11	100	25
		▶ 461-214	1" x 3/4" x 3/4"	PLASTIC PEX RED TEE	3.14	100	25
		▶ 461-215	1" x 3/4" x 1"	PLASTIC PEX RED TEE	3.73	100	25
		▶ 461-217	1" x 1" x 1/2"	PLASTIC PEX RED TEE	3.11	100	25
		▶ 461-218	1" x 1" x 3/4"	PLASTIC PEX RED TEE	3.14	100	25




PLASTIC PEX REDUCING TEE

Plastic PEX Plug		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
NSF61-4 CSA B137.5 ASTM 2159		NEW ▶ 461-403	1/2"	PLASTIC PEX PLUG	.44	1000	100
		▶ 461-404	3/4"	PLASTIC PEX PLUG	.68	500	100
		▶ 461-405	1"	PLASTIC PEX PLUG	1.22	250	50





PLASTIC PEX PLUG

Plastic PEX Coupling		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
NSF61-4 CSA B137.5 ASTM 2159		NEW ▶ 461-503	1/2"	PLASTIC PEX COUPLING	.50	500	50
		▶ 461-504	3/4"	PLASTIC PEX COUPLING	.82	250	50
		▶ 461-505	1"	PLASTIC PEX COUPLING	1.67	250	50




PLASTIC PEX COUPLING

Plastic PEX Reducing Coupling		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
NSF61-4 CSA B137.5 ASTM 2159		NEW ▶ 461-529	3/4" x 1/2"	PLASTIC PEX RED COUP	.68	500	50
		▶ 461-532	1" x 1/2"	PLASTIC PEX RED COUP	1.48	250	50
		▶ 461-533	1" x 3/4"	PLASTIC PEX RED COUP	1.53	250	50




PLASTIC PEX REDUCING COUPLING


PLASTIC PEX FITTINGS CONTINUED

Plastic PEX x Male Adapter	Part No.	Size	Model No.	List Price	Case Qty.	Bag Qty.
 <p>NEW ▶</p> <p>PLASTIC PEX x MALE ADAPTER</p>	461-754	1/2" PEX x 1/2"	MIP ADAPTER	1.30	250	50
	▶ 461-755	1/2" PEX x 3/4"	MIP ADAPTER	1.57	100	25
	▶ 461-757	3/4" PEX x 1/2"	MIP ADAPTER	1.57	250	50
	▶ 461-758	3/4" PEX x 3/4"	MIP ADAPTER	1.63	250	50
	▶ 461-763	1" PEX x 1"	MIP ADAPTER	3.27	100	25


PEX FITTINGS

PEX Elbow	Part No.	Size	Model No.	List Price	Case Qty.	Bag Qty.
 <p>PEX ELBOW</p>	460-002	3/8"	PEX ELBOW	1.57	500	50
	460-003	1/2"	PEX ELBOW	1.62	250	50
	460-004	3/4"	PEX ELBOW	2.29	250	25
	460-005	1"	PEX ELBOW	4.76	100	15


PEX Reducing Elbow

 <p>PEX REDUCING ELBOW</p>	NEW ▶ 460-083	3/8" PEX x 1/2"	PEX FTG ELBOW	2.19	300	25
	▶ 460-085	1/2" PEX x 3/4"	PEX FTG ELBOW	2.00	500	50

PEX x Male Elbow

 <p>PEX x MALE ELBOW</p>	460-103	3/8" PEX x 1/2"	MALE ELBOW	5.10	250	25
	460-105	1/2" PEX x 3/8"	MALE ELBOW	4.67	250	25
	460-106	1/2" PEX x 1/2"	MALE ELBOW	3.69	250	25
	460-107	1/2" PEX x 3/4"	MALE ELBOW	5.53	100	10
	460-110	3/4" PEX x 3/4"	MALE ELBOW	5.76	100	10
	460-111	3/4" PEX x 1"	MALE ELBOW	7.60	100	10
	460-113	1" PEX x 3/4"	MALE ELBOW	7.27	100	10
	460-114	1" PEX x 1"	MALE ELBOW	7.60	100	10







PEX x Sweat Elbows

 <p>PEX x SWT ELBOW</p>	NEW ▶ 460-093	3/8" PEX x 1/2"	SWT FTG ELBOW	2.47	300	25
	▶ 460-094	1/2" PEX x 1/2"	SWT FTG ELBOW	1.91	500	50
	▶ 460-126	1/2" PEX x 1/2 M	SWT FTG ELBOW	3.77	250	25
	▶ 460-136	1/2" PEX x 1/2"	F SWT FTG ELBOW	3.59	250	25
	▶ 460-137	3/4" PEX x 3/4"	F SWT FTG ELBOW	4.05	250	25


PEX Tee

 <p>PEX TEE</p>	460-152	3/8"	PEX TEE	1.88	500	50
	460-153	1/2"	PEX TEE	1.83	250	25
	460-154	3/4"	PEX TEE	2.93	250	25
	460-155	1"	PEX TEE	7.00	150	15

PEX FITTINGS

PEX Reducing Tees	Part No.	Size	Model No.	List Price	Case Qty.	Bag Qty.
 <p>PEX REDUCING TEE</p>	NEW ▶ 460-207	1/2" PEX x 1/2" PEX x 3/8" PEX TEE		2.55	200	25
	460-208	1/2" PEX x 1/2" PEX x 3/4" PEX TEE		2.50	250	25
	460-210	3/4" PEX x 1/2" PEX x 1/2" PEX TEE		2.50	250	25
	460-211	3/4" PEX x 1/2" PEX x 3/4" PEX TEE		2.60	250	25
	460-212	3/4" PEX x 3/4" PEX x 1/2" PEX TEE		2.50	250	25
	460-213	3/4" PEX x 3/4" PEX x 1" PEX TEE		5.95	250	25
	460-214	1" PEX x 3/4" PEX x 3/4" PEX TEE		5.76	250	25
	460-215	1" PEX x 3/4" PEX x 1" PEX TEE		6.38	250	25
	460-216	1" PEX x 1/2" PEX x 1" PEX TEE		6.71	150	15
	460-217	1" PEX x 1" PEX x 1/2" PEX TEE		6.71	250	25
460-218	1" PEX x 1" PEX x 3/4" PEX TEE		6.64	250	25	
<hr/>						
PEX Plug						
 <p>PEX PLUG</p>	460-403	1/2"	PEX PLUG	.60	500	50
	460-404	3/4"	PEX PLUG	1.15	500	50
	460-405	1"	PEX PLUG	2.30	250	25
<hr/>						
PEX Coupling						
 <p>PEX COUPLING</p>	460-502	3/8"	PEX COUPLING	.81	1000	50
	460-503	1/2"	PEX COUPLING	.87	1000	50
	460-504	3/4"	PEX COUPLING	1.65	500	25
	460-505	1"	PEX COUPLING	3.01	250	25
<hr/>						
PEX Reducing Coupling						
 <p>PEX REDUCING COUPLING</p>	460-525	1/2" PEX x 3/8" PEX RED COUP		1.09	500	50
	460-528	3/4" PEX x 3/8" PEX RED COUP		1.32	500	50
	460-529	3/4" PEX x 1/2" PEX RED COUP		1.57	500	25
	460-532	1" PEX x 1/2" PEX RED COUP		2.05	250	25
	460-533	1" PEX x 3/4" PEX RED COUP		2.88	1000	25
<hr/>						
Sweat x Pex Adapter						
 <p>SWT x PEX ADAPTER</p>	460-613	1/2" M SWEAT x 1/2" PEX ADAPTER		1.38	1000	50
	460-614	3/4" M SWEAT x 3/4" PEX ADAPTER		2.36	500	25
	460-615	1" M SWEAT x 1" PEX ADAPTER		4.16	120	15
	460-623	1/2" F SWEAT x 1/2" PEX ADAPTER		1.38	1000	50
	460-624	3/4" F SWEAT x 3/4" PEX ADAPTER		2.67	500	25
	460-625	1" F SWEAT x 1" PEX ADAPTER		4.34	500	15
	<hr/>					
PEX x F.I.P. Adapter						
 <p>FEMALE ADAPTER</p>	460-705	1/2" PEX x 1/2" FEMALE ADAPTER		2.32	500	25
	460-706	1/2" PEX x 3/4" FEMALE ADAPTER		3.37	250	25
	460-709	3/4" PEX x 1/2" FEMALE ADAPTER		3.11	250	25
	460-710	3/4" PEX x 3/4" FEMALE ADAPTER		3.06	150	10
	460-715	1" PEX x 1" FEMALE ADAPTER		6.81	120	15

PEX FITTINGS CONTINUED

PEX x M.I.P. Adapter	Part No.	Size	Model No.	List Price	Case Qty.	Bag Qty.
 MALE ADAPTER	460-751	3/8" PEX x 1/2"	MALE ADAPTER	2.38	500	25
	460-754	1/2" PEX x 1/2"	MALE ADAPTER	2.34	500	25
	460-755	1/2" PEX x 3/4"	MALE ADAPTER	3.31	250	25
	460-757	3/4" PEX x 1/2"	MALE ADAPTER	2.67	250	25
	460-758	3/4" PEX x 3/4"	MALE ADAPTER	3.37	150	15
	460-759	3/4" PEX x 1"	MALE ADAPTER	5.90	120	10
	460-761	1" PEX x 1/2"	MALE ADAPTER	2.56	200	25
	460-762	1" PEX x 3/4"	MALE ADAPTER	4.12	120	15
	460-763	1" PEX x 1"	MALE ADAPTER	5.95	120	10

PEX x F.I.P. Drop Ear Elbow



NEW ▶	460-143	3/8" PEX x FIP 3 EAR DROP ELBOW	4.66	100	10
	302-219	1/2" PEX x FIP 3 EAR DROP ELBOW	5.05	200	10
▶	302-221	3/4" PEX x FIP 3 EAR DROP ELBOW	6.61	100	25

F.I.P. x PEX Wing Adapter



	302-313	1/2" FIP x PEX WING ADAPTER	9.46	340	85
	302-314	3/4" FIP x PEX WING ADAPTER	10.68	200	50

PEX x CPVC Adapter



NEW ▶	302-423	1/2" PEX x CPVC ADAPTER	4.09	400	50
▶	302-424	3/4" PEX x CPVC ADAPTER	5.50	300	50
▶	302-425	1" PEX x CPVC ADAPTER	11.05	200	25

PEX VALVES

PEX End Ball Valve

ISO-9002, 400 WOG
NSF - UPC/IAPMO
FOR USE ON
PEX TUBING



NEW ▶	101-596	1/2" T-2007 DRAINABLE PEX END BV	7.70	80	8
▶	101-597	3/4" T-2007 DRAINABLE PEX END BV	9.89	80	8


PEX End Ball Valve


ISO-9002, 400 WOG
FORGED BRASS





NEW ▶	101-593	1/2" T-2006 PEX END BALL VALVE	6.33	100	10
▶	101-594	3/4" T-2006 PEX END BALL VALVE	8.42	100	10
▶	101-595	1" T-2006 PEX END BALL VALVE	13.32	60	12

PEX VALVES CONTINUED



PEX End Ball Valve		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
ISO-9002, 400 WOG FORGED BRASS							
 T-2005	NEW	101-590	1/2" T-2005	MIP x PEX END BV	6.59	100	10
		101-591	3/4" T-2005	MIP x PEX END BV	8.61	80	8
		101-592	1" T-2005	MIP x PEX END BV	13.61	48	6

PEX End Ball Valve		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
ISO-9002, 400 WOG NSF - UPC/IAPMO FOR USE ON PEX TUBING							
 T-806		101-582	3/8" T-806	PEX END BALL VALVE	11.08	100	10
		101-585	1/2" T-806	PEX END BALL VALVE	11.08	120	10
		101-586	3/4" T-806	PEX END BALL VALVE	15.07	120	10
		101-587	1" T-806	PEX END BALL VALVE	20.05	50	5

M.I.P. x PEX Ball Valve		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
ISO-9002, 400 WOG NSF - UPC/IAPMO FOR USE ON PEX TUBING							
 T-805 MxP		101-580	1/2" T-805	MIP x PEX BALL VALVE	13.26	100	10
		101-581	3/4" T-805	MIP x PEX BALL VALVE	17.03	100	10



Swt x PEX Ball Valve		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
ISO-9002, 400 WOG NSF - UPC/IAPMO FOR USE ON PEX TUBING							
 T-805 SxP		101-583	1/2" T-805	SWT x PEX BALL VALVES	12.60	100	10
		101-584	3/4" T-805	SWT x PEX BALL VALVES	16.18	100	10



LOW PRESSURE VALVES

Stop With PEX Connection		WITH PEX CONNECTION					
ISO-9002							
 NSF 61-8	 S-501P	107-110	1/2"	S-501P STOP	13.33	100	10
		107-111	3/4"	S-501P STOP	18.63	100	10





Stop and Waste with PEX Connection		WITH PEX CONNECTION					
ISO-9002							
 NSF 61-8	 S-511P	107-130	1/2"	S-511P STOP & WASTE	13.68	100	10
		107-131	3/4"	S-511P STOP & WASTE	19.71	100	10




LOW PRESSURE VALVES CONTINUED

Boiler Drain with PEX Connection		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
ISO-9002		WITH PEX CONNECTION					
  <p>S-521P</p>		107-159	1/2"	S-521P BOILER DRAIN	11.96	100	10



Sillcock With PEX Connection		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
ISO-9002		WITH PEX CONNECTION					
  <p>S-541P</p>		107-183	1/2"	S-541P SILLCOCK	11.41	100	10

FROSTFREE SILLCOCKS

1/4 Turn PEX Frostfree Sillcock		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
ISO-9002		PATENTED					
1/4 TURN SOFTOUCH HANDLE™ & BRASS CAP ANTI-SIPHON & AUTOMATIC DRAINING - ASSE 1019 CERTIFIED - IAPMO/UPC		108-001A	1/2" x 4"	T-550P 1/4 TURN FF PEX	48.19	20	1
  		108-002A	1/2" x 6"	T-550P 1/4 TURN FF PEX	49.26	20	1
 <p>T-550P</p>		108-003A	1/2" x 8"	T-550P 1/4 TURN FF PEX	49.78	20	1
		108-004A	1/2" x 10"	T-550P 1/4 TURN FF PEX	52.74	20	1
		108-005A	1/2" x 12"	T-550P 1/4 TURN FF PEX	55.58	20	1
		108-006A	1/2" x 14"	T-550P 1/4 TURN FF PEX	60.29	20	1

Frostfree Sillcock with PEX Connection		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
ISO-9002		108-141	1/2" x 4"	T-552P PEX FROST FREE	28.76	40	10
ANTI-SIPHON & AUTOMATIC DRAINING - ASSE 1019 CERTIFIED - IAPMO/UPC		108-142	1/2" x 6"	T-552P PEX FROST FREE	30.00	40	10
 		108-143	1/2" x 8"	T-552P PEX FROST FREE	31.04	40	10
 <p>T-552P</p>		108-144	1/2" x 10"	T-552P PEX FROST FREE	32.23	40	10
		108-145	1/2" x 12"	T-552P PEX FROST FREE	33.20	40	10
		108-146	1/2" x 14"	T-552P PEX FROST FREE	34.54	40	10

SUPPLY STOPS



Angle Valve		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
UPC/IAPMO CERTIFIED TO ANSI/NSF 61-9		MULTI-TURN					
  <p>T-581P</p>		114-109	1/2" PEX x 3/8" OD	T-581P	5.48	200	10



PEX FITTINGS AND VALVES








EFFECTIVE DATE:
JANUARY 31, 2011
1-800-752-2082




SUPPLY STOPS CONTINUED

Straight Valve		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
UPC/IAPMO CERTIFIED TO ANSI/NSF 61-9		MULTI-TURN					
		114-209	1/2" PEX x 3/8" OD	T-582P	6.88	200	10
		T-582P					

Dual Outlet Valve		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
UPC/IAPMO CERTIFIED TO ANSI/NSF 61-9		MULTI-TURN					
		114-406	1/2" PEX x 3/8" OD X 3/8" OD	T-587P	7.46	200	10
		T-587P					

PEX x PEX Straight		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
UPC/IAPMO CERTIFIED TO ANSI/NSF 61-9		MULTI-TURN					
		114-513	1/2" T-591P PEX STOP		6.84	200	10
		T-591P					

1/4 Turn Angle Valve		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
ISO-9002 UPC/IAPMO CERTIFIED		1/4 TURN					
		114-609	1/2" PEX x 3/8" OD	T-595 CHROME	7.42	120	5
		T-595					

1/4 Turn Straight Valve		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
ISO-9002 UPC/IAPMO CERTIFIED		1/4 TURN					
		114-709	1/2" PEX x 3/8" OD	T-596 CHROME	7.27	120	5
		114-710	1/2" PEX x 1/2" PEX	T-596 CHROME	9.82	120	5
		T-596					

CRIMP RINGS

Crimp Ring		Part No.	Size	Model No.	List Price	Case Qty.	Carton Qty.
ASTM F 1807							
		460-902	3/8" CRIMP RING FOR PEX FITTING		.26	2000	100
		460-903	1/2" CRIMP RING FOR PEX FITTING		.34	2000	100
		460-904	3/4" CRIMP RING FOR PEX FITTING		.40	2000	100
		460-905	1" CRIMP RING FOR PEX FITTING		.54	1000	100
		CRIMP RING					



51245 Filomena Drive
Shelby Township, Michigan 48315

phone: (800) 752-2082 fax: (800) 835-4457

web: www.legendvalve.com
email: service@legendvalve.com



LT-PFV0111

